FS2.60/9:(Vol.16), No.14

FS 2.60/9 16/14

NATIONAL COMMUNICABLE DISEASE CENTER

Morbidity and Mortality

Vol. 16, No. 14

WEEKLY REPORT

Week Ending April 8, 1967

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE

PUBLIC HEALTH SERVICE

BUREAU OF DISEASE PREVENTION AND ENVIRONMENTAL CONTROL

CURRENT TRENDS
MEASLES – 1967

The steady incidence of measles cases continues around 2,500 per week, a trend which began early in February (Figure 1). For the 14th week (ending April 8), 2,559 cases were reported; 41.3 percent of this total was notified from Texas (730), California (180), and Washington (146).

Figures 2, 3, and 4 show the epidemiologic curves of reported measles cases from 1962 through the 12th week of 1967 for the West South Central, Mountain, and Pacific Regions of the United States and for the individual states within these regions. The trends of measles in the West South Central (Figure 2) and Pacific (Figure 4) Regions do not differ from those observed previously in other regions. In Oklahoma, Arkansas, Oregon, and Washington, the 1967 measles rates exceed their 1966 rates. There appears to be a consistent downward trend in incidence in the Mountain Region (Figure 3), but this is actually due to variation in the patterns of measles within the states of this region. The curves for the individual states show that peak incidence occurred in several states in 1962 and 1963, in one state in 1964, and in another single state in 1965. It is of interest to note that Nevada is the only state in the Mountain Region with a higher rate in 1967 than in 1966. In none of the states in any of the three regions, however, do the rates for the current epidemiologic year approach the rates of their previous epidemic years, although an epidemic year might have been expected to occur in 1967 in several of these states. *(Reported by the Childhood Viral Diseases Unit, Epidemiology Program, NCDC.)*

CONTENTS

Current Trends
Measles – 1967 109
International Notes
Smallpox – Europe, India
Suspected Smallpox – Hawaii 116

Figure 1
REPORTED MEASLES IN THE UNITED STATES, 1966-67
COMPARED WITH 1963-64 TO 1965-66



UNIVERSITY OF FLORIDA LIBRARIES DOCUMENTS DEPT. MAY 15 1967

Figure 2
MEASLES RATES BY FOUR-WEEK PERIODS
WEST SOUTH CENTRAL REGION BY STATES, 1962-1967



Figure 3
MEASLES RATES BY FOUR-WEEK PERIODS
MOUNTAIN REGION BY STATES, 1962-1967

Figure 4
MEASLES RATES
BY FOUR-WEEK PERIODS
PACIFIC REGION
BY STATES, 1962-1967



CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES

(Cumulative totals include revised and delayed reports through previous weeks)

DISEASE	14th WEEK ENDED		MEDIAN	CUMULATIVE, FIRST 14 WEEKS		
	APRIL 8, 1967	APRIL 9 1966	1962 - 1966	1967	1966	MEDIAN 1962 - 1966
Aseptic meningitis	31	25	28	385	395	371
Brucellosis	4	4	9	53	53	87
Diphtheria	1	4	5	35	39	62
Encephalitis, primary:						
Arthropod-borne & unspecified	32	28	- - -	323	335	- - -
Encephalitis, post-infectious	22	21	- - -	194	229	- - -
Hepatitis, serum	39	39	859	527	336	12,977
Hepatitis, infectious	644	619		11,031	9,830	
Malaria	35	6	2	565	81	27
Measles (rubeola)	2,559	7,572	15,907	31,305	101,805	160,703
Meningococcal infections, total	53	119	78	820	1,421	875
Civilian	51	105	- - -	756	1,230	- - -
Military	2	14	- - -	64	191	- - -
Poliomyelitis, total	—	—	—	2	6	19
Paralytic	—	—	—	2	5	14
Rubella (German measles)	1,779	1,754	- - -	15,401	18,990	- - -
Streptococcal sore throat & scarlet fever	12,022	10,528	10,528	171,195	165,250	151,240
Tetanus	3	1	1	39	25	46
Tularemia	3	—	3	35	50	55
Typhoid fever	12	4	5	82	70	93
Typhus, tick-borne (Rky. Mt. spotted fever)	—	—	1	7	10	4
Rabies in animals	110	95	101	1,205	1,185	1,142

NOTIFIABLE DISEASES OF LOW FREQUENCY

	Cum		Cum
Anthrax	1	Rabies in man	—
Botulism	—	Rubella, Congenital Syndrome	—
Leptospirosis: Hawaii-1	9	Trichinosis: Maine-1 Maryland-1	21
Plague	—	Typhus, murine: Texas-1	6
Psittacosis	10		

CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES

FOR WEEKS ENDED

APRIL 8, 1967 AND APRIL 9, 1966 (14th WEEK)

AREA	ASEPTIC MENINGITIS		BRUCELLOSIS	DIPHTHERIA	ENCEPHALITIS			HEPATITIS			
					Primary including unsp. cases		Post-Infectious	Serum		Infectious	
	1967	1966	1967	1967	1967	1966	1967	1967	1966	1967	1966
UNITED STATES...	31	25	4	1	32	28	22	39	39	644	619
NEW ENGLAND.....	3	-	-	-	3	2	-	2	-	39	28
Maine.....	-	-	-	-	-	-	-	-	-	7	1
New Hampshire.....	-	-	-	-	-	-	-	-	-	1	4
Vermont.....	-	-	-	-	-	-	-	-	-	-	1
Massachusetts.....	1	-	-	-	2	-	-	-	-	18	12
Rhode Island.....	2	-	-	-	-	2	-	2	-	4	4
Connecticut.....	-	-	-	-	1	-	-	-	-	9	6
MIDDLE ATLANTIC.....	16	4	-	-	11	8	4	14	20	95	85
New York City.....	-	1	-	-	4	1	-	11	11	30	20
New York, Up-State.	1	-	-	-	-	1	-	-	-	23	25
New Jersey.....	14	-	-	-	5	6	-	3	5	18	15
Pennsylvania.....	1	3	-	-	2	-	4	-	4	24	25
EAST NORTH CENTRAL...	-	2	1	-	4	3	4	-	2	119	136
Ohio.....	-	-	-	-	3	1	-	-	-	25	32
Indiana.....	-	-	-	-	-	1	-	-	-	17	8
Illinois.....	-	1	-	-	-	1	3	-	-	45	26
Michigan.....	-	1	1	-	1	-	1	-	2	23	62
Wisconsin.....	-	-	-	-	-	-	-	-	-	9	8
WEST NORTH CENTRAL...	-	-	-	1	2	-	1	1	2	64	67
Minnesota.....	-	-	-	1	-	-	1	1	2	8	7
Iowa.....	-	-	-	-	2	-	-	-	-	13	19
Missouri.....	-	-	-	-	-	-	-	-	-	41	29
North Dakota.....	-	-	-	-	-	-	-	-	-	-	3
South Dakota.....	-	-	-	-	-	-	-	-	-	1	-
Nebraska.....	-	-	-	-	-	-	-	-	-	-	3
Kansas.....	-	-	-	-	-	-	-	-	-	1	6
SOUTH ATLANTIC.....	1	5	-	-	4	7	7	3	-	48	68
Delaware.....	1	2	-	-	1	-	-	-	-	4	3
Maryland.....	-	-	-	-	-	-	4	-	-	11	18
Dist. of Columbia..	-	-	-	-	-	-	-	1	-	2	3
Virginia.....	-	1	-	-	1	5	-	-	-	5	7
West Virginia.....	-	-	-	-	-	-	-	-	-	5	2
North Carolina.....	-	-	-	-	1	1	-	-	-	7	5
South Carolina.....	-	-	-	-	-	-	-	1	-	1	1
Georgia.....	-	-	-	-	-	-	-	-	-	3	13
Florida.....	-	2	-	-	1	1	3	1	-	10	16
EAST SOUTH CENTRAL...	1	-	2	-	3	1	-	1	-	37	43
Kentucky.....	1	-	1	-	2	-	-	-	-	17	17
Tennessee.....	-	-	1	-	1	-	-	-	-	16	16
Alabama.....	-	-	-	-	-	1	-	1	-	3	6
Mississippi.....	-	-	-	-	-	-	-	-	-	1	4
WEST SOUTH CENTRAL...	-	1	-	-	2	3	-	1	1	73	39
Arkansas.....	-	-	-	-	-	1	-	-	-	2	1
Louisiana.....	-	-	-	-	1	-	-	1	-	7	3
Oklahoma.....	-	-	-	-	1	-	-	-	-	4	6
Texas.....	-	1	-	-	-	2	-	-	1	60	29
MOUNTAIN.....	2	1	-	-	1	1	-	-	-	31	38
Montana.....	-	1	-	-	-	-	-	-	-	5	-
Idaho.....	-	-	-	-	-	-	-	-	-	2	1
Wyoming.....	-	-	-	-	-	-	-	-	-	2	3
Colorado.....	1	-	-	-	1	1	-	-	-	2	11
New Mexico.....	-	-	-	-	-	-	-	-	-	11	8
Arizona.....	1	-	-	-	-	-	-	-	-	6	8
Utah.....	-	-	-	-	-	-	-	-	-	-	7
Nevada.....	-	-	-	-	-	-	-	-	-	3	-
PACIFIC.....	8	12	1	-	2	3	6	17	14	138	115
Washington.....	-	-	-	-	-	-	1	-	1	15	5
Oregon.....	-	-	-	-	-	-	-	1	-	14	9
California.....	6	10	-	-	2	3	5	16	13	109	101
Alaska.....	-	-	1	-	-	-	-	-	-	-	-
Hawaii.....	2	2	-	-	-	-	-	-	-	-	-
Puerto Rico	-	1	-	1	-	-	-	-	-	20	18

CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES

FOR WEEKS ENDED

APRIL 8, 1967 AND APRIL 9, 1966 (14th WEEK) - CONTINUED

AREA	MALARIA	MEASLES (Rubeola)			MENINGOCOCCAL INFECTIONS, TOTAL			POLIOMYELITIS			RUBELLA
			Cumulative			Cumulative		Total	Paralytic		
	1967	1967	1967	1966	1967	1967	1966	1967	1967	Cum. 1967	1967
UNITED STATES...	35	2,559	31,305	101,805	53	820	1,421	-	-	2	1,779
NEW ENGLAND.....	-	23	371	1,245	2	30	71	-	-	-	154
Maine.....	-	6	79	146	-	1	7	-	-	-	27
New Hampshire.....	-	4	66	20	-	1	7	-	-	-	2
Vermont.....	-	1	26	198	-	-	3	-	-	-	1
Massachusetts.....	-	6	137	472	-	13	29	-	-	-	60
Rhode Island.....	-	4	25	56	1	1	5	-	-	-	13
Connecticut.....	-	2	38	353	1	14	20	-	-	-	51
MIDDLE ATLANTIC.....	7	105	1,028	12,576	9	106	148	-	-	1	89
New York City.....	-	18	166	6,388	-	18	23	-	-	1	37
New York, Up-State.	1	22	240	1,400	1	30	36	-	-	-	52
New Jersey.....	6	21	260	1,328	6	44	46	-	-	-	-
Pennsylvania.....	-	44	362	3,460	2	14	43	-	-	-	-
EAST NORTH CENTRAL...	4	198	2,500	39,087	8	84	210	-	-	-	270
Ohio.....	-	43	406	2,975	2	33	57	-	-	-	22
Indiana.....	1	33	293	2,380	2	13	30	-	-	-	45
Illinois.....	-	25	375	8,075	1	17	42	-	-	-	35
Michigan.....	3	42	540	6,363	2	15	60	-	-	-	42
Wisconsin.....	-	55	886	19,294	1	6	21	-	-	-	126
WEST NORTH CENTRAL...	1	198	1,385	4,744	1	37	74	-	-	-	280
Minnesota.....	-	3	55	1,233	-	8	19	-	-	-	2
Iowa.....	-	104	352	2,440	1	8	12	-	-	-	164
Missouri.....	-	14	53	314	-	9	29	-	-	-	103
North Dakota.....	-	71	570	712	-	-	3	-	-	-	11
South Dakota.....	-	-	39	3	-	5	2	-	-	-	-
Nebraska.....	-	6	316	42	-	6	3	-	-	-	-
Kansas.....	1	NN	NN	NN	-	1	6	-	-	-	-
SOUTH ATLANTIC.....	6	311	3,400	7,844	7	162	231	-	-	-	193
Delaware.....	-	2	26	104	-	5	3	-	-	-	5
Maryland.....	1	3	63	1,251	2	20	23	-	-	-	55
Dist. of Columbia..	-	1	11	295	3	3	6	-	-	-	-
Virginia.....	-	69	989	751	-	13	29	-	-	-	12
West Virginia.....	-	66	643	3,106	1	14	8	-	-	-	25
North Carolina.....	4	30	644	138	-	32	46	-	-	-	-
South Carolina.....	1	44	155	384	-	12	33	-	-	-	46
Georgia.....	-	-	14	167	-	30	39	-	-	-	-
Florida.....	-	96	855	1,648	1	33	44	-	-	-	50
EAST SOUTH CENTRAL...	-	262	3,478	11,265	3	82	116	-	-	-	92
Kentucky.....	-	25	995	3,558	2	23	53	-	-	-	1
Tennessee.....	-	107	1,135	6,450	1	37	35	-	-	-	64
Alabama.....	-	103	798	766	-	13	21	-	-	-	27
Mississippi.....	-	27	550	491	-	9	7	-	-	-	-
WEST SOUTH CENTRAL...	2	814	10,817	11,211	6	135	221	-	-	1	35
Arkansas.....	-	52	1,305	375	2	14	12	-	-	-	-
Louisiana.....	2	7	70	59	2	51	88	-	-	-	-
Oklahoma.....	-	25	1,969	231	-	7	9	-	-	-	-
Texas.....	-	730	7,473	10,546	2	63	112	-	-	1	35
MOUNTAIN.....	5	226	2,221	5,441	1	17	42	-	-	-	157
Montana.....	-	3	181	818	-	-	3	-	-	-	37
Idaho.....	-	13	216	587	-	1	1	-	-	-	3
Wyoming.....	-	1	14	82	-	-	1	-	-	-	-
Colorado.....	4	89	536	600	1	8	22	-	-	-	76
New Mexico.....	-	16	349	302	-	3	6	-	-	-	-
Arizona.....	-	93	520	2,867	-	2	7	-	-	-	28
Utah.....	-	-	217	161	-	1	-	-	-	-	13
Nevada.....	1	11	188	24	-	2	2	-	-	-	-
PACIFIC.....	10	422	6,105	8,392	16	167	308	-	-	-	509
Washington.....	2	146	3,068	1,710	1	16	17	-	-	-	132
Oregon.....	-	84	720	661	1	13	13	-	-	-	20
California.....	6	180	2,168	5,911	9	131	262	-	-	-	347
Alaska.....	-	7	81	50	5	7	13	-	-	-	2
Hawaii.....	2	5	68	60	-	-	3	-	-	-	8
Puerto Rico.....	-	124	1,069	1,268	-	7	2	-	-	-	-

CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES
FOR WEEKS ENDED
APRIL 8, 1967 AND APRIL 9, 1966 (14th WEEK) - CONTINUED

AREA	STREPTOCOCCAL SORE THROAT & SCARLET FEVER	TETANUS		TULAREMIA		TYPHOID		TYPHUS FEVER TICK-BORNE (Rky. Mt. Spotted)		RABIES IN ANIMALS	
	1967	1967	Cum. 1967	1967	Cum. 1967	1967	Cum. 1967	1967	Cum. 1967	1967	Cum. 1967
UNITED STATES...	12,022	3	39	3	35	12	82	-	7	110	1,205
NEW ENGLAND.....	2,163	-	-	-	-	-	-	-	-	8	31
Maine.....	161	-	-	-	-	-	-	-	-	2	7
New Hampshire.....	40	-	-	-	-	-	-	-	-	6	18
Vermont.....	199	-	-	-	-	-	-	-	-	-	6
Massachusetts.....	209	-	-	-	-	-	-	-	-	-	-
Rhode Island.....	117	-	-	-	-	-	-	-	-	-	-
Connecticut.....	1,437	-	-	-	-	-	-	-	-	-	-
MIDDLE ATLANTIC.....	598	1	5	-	-	-	11	-	-	2	24
New York City.....	30	1	3	-	-	-	7	-	-	-	-
New York, Up-State.	491	-	1	-	-	-	2	-	-	1	16
New Jersey.....	NN	-	-	-	-	-	1	-	-	-	-
Pennsylvania.....	77	-	1	-	-	-	1	-	-	1	8
EAST NORTH CENTRAL...	1,404	-	2	-	5	2	6	-	1	13	93
Ohio.....	223	-	-	-	-	-	2	-	1	2	40
Indiana.....	254	-	-	-	1	-	-	-	-	3	20
Illinois.....	246	-	2	-	4	1	1	-	-	2	17
Michigan.....	531	-	-	-	-	1	2	-	-	1	2
Wisconsin.....	150	-	-	-	-	-	1	-	-	5	14
WEST NORTH CENTRAL...	499	-	1	-	8	-	2	-	-	21	250
Minnesota.....	7	-	1	-	-	-	-	-	-	3	60
Iowa.....	210	-	-	-	1	-	2	-	-	4	23
Missouri.....	26	-	-	-	3	-	-	-	-	8	60
North Dakota.....	193	-	-	-	-	-	-	-	-	1	45
South Dakota.....	7	-	-	-	-	-	-	-	-	2	31
Nebraska.....	1	-	-	-	-	-	-	-	-	-	12
Kansas.....	55	-	-	-	4	-	-	-	-	3	19
SOUTH ATLANTIC.....	1,007	-	8	-	5	2	9	-	4	18	164
Delaware.....	36	-	-	-	-	-	-	-	-	-	-
Maryland.....	201	-	-	-	-	-	-	-	-	-	-
Dist. of Columbia..	9	-	-	-	-	-	-	-	-	-	-
Virginia.....	217	-	2	-	-	-	2	-	-	6	85
West Virginia.....	380	-	-	-	1	-	1	-	-	6	27
North Carolina.....	23	-	2	-	-	1	2	-	3	-	1
South Carolina.....	13	-	-	-	2	-	-	-	-	-	-
Georgia.....	5	-	1	-	2	-	1	-	1	3	30
Florida.....	123	-	3	-	-	1	3	-	-	3	21
EAST SOUTH CENTRAL...	1,405	-	9	-	3	-	9	-	1	23	320
Kentucky.....	172	-	-	-	-	-	4	-	-	2	58
Tennessee.....	1,013	-	5	-	2	-	2	-	1	19	237
Alabama.....	106	-	3	-	-	-	3	-	-	2	23
Mississippi.....	114	-	1	-	1	-	-	-	-	-	2
WEST SOUTH CENTRAL...	912	1	7	1	8	-	16	-	-	18	220
Arkansas.....	1	1	1	-	1	-	3	-	-	1	35
Louisiana.....	5	-	-	-	2	-	11	-	-	5	27
Oklahoma.....	141	-	-	-	3	-	-	-	-	3	47
Texas.....	765	-	6	1	2	-	2	-	-	9	111
MOUNTAIN.....	2,267	-	-	1	5	-	8	-	-	2	27
Montana.....	71	-	-	-	1	-	1	-	-	-	-
Idaho.....	69	-	-	-	-	-	-	-	-	-	-
Wyoming.....	94	-	-	-	-	-	-	-	-	-	-
Colorado.....	1,380	-	-	-	1	-	5	-	-	-	3
New Mexico.....	219	-	-	-	-	-	-	-	-	-	5
Arizona.....	163	-	-	-	-	-	2	-	-	2	19
Utah.....	263	-	-	1	3	-	-	-	-	-	-
Nevada.....	8	-	-	-	-	-	-	-	-	-	-
PACIFIC.....	1,767	1	7	1	1	8	21	-	1	5	76
Washington.....	460	-	-	-	-	-	-	-	-	-	-
Oregon.....	112	-	-	-	-	-	-	-	-	-	1
California.....	1,084	1	6	1	1	7	19	-	1	5	75
Alaska.....	15	-	-	-	-	-	-	-	-	-	-
Hawaii.....	96	-	1	-	-	1	2	-	-	-	-
Puerto Rico.....	4	-	3	-	-	-	4	-	-	-	9

Week No. 14

DEATHS IN 122 UNITED STATES CITIES FOR WEEK ENDED APRIL 8, 1967

(By place of occurrence and week of filing certificate. Excludes fetal deaths)

Area	All Causes		Pneumonia and Influenza All Ages	Under 1 year All Causes
	All Ages	65 years and over		
NEW ENGLAND:	791	520	51	24
Boston, Mass.	273	171	19	10
Bridgeport, Conn.	48	31	8	1
Cambridge, Mass.	44	32	-	-
Fall River, Mass.	41	34	2	-
Hartford, Conn.	55	24	2	3
Lowell, Mass.	28	18	3	1
Lynn, Mass.	18	12	-	-
New Bedford, Mass.	29	21	2	-
New Haven, Conn.	39	22	-	-
Providence, R. I.	63	38	4	3
Somerville, Mass.*	14	11	2	-
Springfield, Mass.	57	42	7	1
Waterbury, Conn.	27	22	-	2
Worcester, Mass.	55	42	2	3
MIDDLE ATLANTIC:	3,455	2,065	132	140
Albany, N. Y.	57	35	1	3
Allentown, Pa.	45	31	3	2
Buffalo, N. Y.	157	100	2	8
Camden, N. J.	34	13	-	3
Elizabeth, N. J.	40	27	3	2
Erie, Pa.	40	26	5	-
Jersey City, N. J.	77	41	2	3
Newark, N. J.	83	45	7	5
New York City, N. Y.	1,674	998	63	61
Paterson, N. J.	42	25	2	1
Philadelphia, Pa.	583	316	12	28
Pittsburgh, Pa.	205	122	3	8
Reading, Pa.	60	45	6	3
Rochester, N. Y.	85	57	7	5
Schenectady, N. Y.	36	25	1	2
Scranton, Pa.	43	31	2	2
Syracuse, N. Y.	69	43	2	2
Trenton, N. J.	45	29	3	1
Utica, N. Y.	40	29	7	1
Yonkers, N. Y.	40	27	1	-
EAST NORTH CENTRAL:	2,681	1,553	110	134
Akron, Ohio	69	39	-	6
Canton, Ohio	34	20	1	-
Chicago, Ill.	730	398	30	36
Cincinnati, Ohio	197	116	4	3
Cleveland, Ohio	216	120	3	13
Columbus, Ohio	128	63	2	11
Dayton, Ohio	74	41	2	7
Detroit, Mich.	353	208	11	17
Evansville, Ind.	56	34	5	6
Flint, Mich.	53	30	4	5
Fort Wayne, Ind.	61	34	7	3
Gary, Ind.	27	15	3	-
Grand Rapids, Mich.	67	46	10	3
Indianapolis, Ind.	166	94	8	10
Madison, Wis.	45	27	-	4
Milwaukee, Wis.	147	92	6	5
Peoria, Ill.	39	27	-	1
Rockford, Ill.	34	25	5	-
South Bend, Ind.	25	18	3	-
Toledo, Ohio	98	64	4	4
Youngstown, Ohio	62	42	2	-
WEST NORTH CENTRAL:	874	514	25	53
Des Moines, Iowa	72	54	1	3
Duluth, Minn.	24	11	-	2
Kansas City, Kans.	41	18	2	6
Kansas City, Mo.	124	72	2	8
Lincoln, Nebr.	33	24	1	1
Minneapolis, Minn.	139	77	2	14
Omaha, Nebr.	94	61	-	3
St. Louis, Mo.	208	107	7	10
St. Paul, Minn.	83	57	2	3
Wichita, Kans.	56	33	8	3

Area	All Causes		Pneumonia and Influenza All Ages	Under 1 year All Causes
	All Ages	65 years and over		
SOUTH ATLANTIC:	1,199	661	56	68
Atlanta, Ga.	142	60	6	11
Baltimore, Md.	245	133	3	14
Charlotte, N. C.	43	22	-	-
Jacksonville, Fla.	68	36	3	3
Miami, Fla.	97	69	3	2
Norfolk, Va.	47	24	4	2
Richmond, Va.	93	53	6	8
Savannah, Ga.	41	22	1	1
St. Petersburg, Fla.	96	76	12	4
Tampa, Fla.	80	40	8	3
Washington, D. C.	205	100	7	18
Wilmington, Del.	42	26	3	2
EAST SOUTH CENTRAL:	641	347	39	39
Birmingham, Ala.	79	38	1	5
Chattanooga, Tenn.	71	32	5	4
Knoxville, Tenn.	46	27	4	3
Louisville, Ky.	114	66	12	2
Memphis, Tenn.	159	92	9	15
Mobile, Ala.	51	30	1	4
Montgomery, Ala.	46	21	3	2
Nashville, Tenn.	75	41	4	4
WEST SOUTH CENTRAL:	1,047	537	43	65
Austin, Tex.	39	26	7	2
Baton Rouge, La.	45	25	4	1
Corpus Christi, Tex.	43	20	-	-
Dallas, Tex.	148	64	3	16
El Paso, Tex.	41	25	4	3
Fort Worth, Tex.	60	34	1	2
Houston, Tex.	174	79	5	13
Little Rock, Ark.	51	27	3	3
New Orleans, La.	143	61	2	8
Oklahoma City, Okla.	77	46	1	3
San Antonio, Tex.	99	57	4	8
Shreveport, La.	57	33	4	3
Tulsa, Okla.	70	40	5	3
MOUNTAIN:	402	242	27	17
Albuquerque, N. Mex.	31	15	6	3
Colorado Springs, Colo.	16	12	4	1
Denver, Colo.	111	61	4	2
Ogden, Utah	18	14	3	-
Phoenix, Ariz.	88	58	5	2
Pueblo, Colo.	18	13	3	-
Salt Lake City, Utah	52	31	-	6
Tucson, Ariz.	68	38	2	3
PACIFIC:	1,475	913	29	53
Berkeley, Calif.	24	19	-	-
Fresno, Calif.	37	18	-	1
Glendale, Calif.	31	21	-	1
Honolulu, Hawaii	49	24	1	2
Long Beach, Calif.	72	54	5	1
Los Angeles, Calif.	478	301	12	20
Oakland, Calif.	57	33	2	3
Pasadena, Calif.	29	22	-	1
Portland, Oreg.	110	64	1	2
Sacramento, Calif.	67	45	2	5
San Diego, Calif.	72	43	3	3
San Francisco, Calif.	177	105	1	3
San Jose, Calif.	39	27	-	2
Seattle, Wash.	134	72	1	7
Spokane, Wash.	56	35	1	1
Tacoma, Wash.	43	30	-	1
Total	12,565	7,352	512	593

*Estimate - based on average percent of divisional total.

Cumulative Totals
including reported corrections for previous weeks

All Causes, All Ages	182,494
All Causes, Age 65 and over	105,687
Pneumonia and Influenza, All Ages	7,385
All Causes, Under 1 Year of Age	9,213

UNIVERSITY OF FLORIDA
3 1262 08864 2367

INTERNATIONAL NOTES

SMALLPOX – Europe and India

As of April 12, 1967, no secondary cases have occurred among contacts of the three smallpox cases imported into Germany and Czechoslovakia (MMWR, Vol. 16, Nos. 10-13). None of the 15 individuals who came to the U.S. and who had contact with the Hanover, Germany, imported case developed any signs or symptoms suggestive of smallpox infection.

Through March 25 (first 12 weeks of 1967), the World Health Organization received notification of a total of 7,993 smallpox cases as compared with 4,033 cases during the comparable period in 1966. A continuing increase is evident in Bombay (Figure 5); 168 cases were reported for the week ending April 1.

Figure 5
SMALLPOX CASES BY WEEK OF REPORT
BOMBAY, INDIA, 1966-1967



SOURCE: WHO WEEKLY EPIDEMIOLOGICAL RECORD

SUSPECTED SMALLPOX – Hawaii

Further laboratory tests on the suspected case of smallpox in Honolulu, Hawaii (MMWR, Vol. 16, No. 13) have failed to confirm this diagnosis. Specimens sent to the National Communicable Disease Center for examination were negative by electronmicroscopy and agar gel tests; cultures in embryonated eggs were negative on first passage.

(Reported by the Laboratory Improvement Program, NCDC.)

ERRATUM: Vol. 16, No. 12, p. 94:

In Table 1, the column labelled "Vaccination History" should read:

Import No. 1	Childhood ? revacc. 1965
Import No. 2	Revacc. 1967 ? success

THE MORBIDITY AND MORTALITY WEEKLY REPORT, WITH A CIRCULATION OF 17,000, IS PUBLISHED AT THE NATIONAL COMMUNICABLE DISEASE CENTER, ATLANTA, GEORGIA.

DIRECTOR, NATIONAL COMMUNICABLE DISEASE CENTER — DAVID J. SENCER, M.D.
CHIEF, EPIDEMIOLOGY PROGRAM — A.D. LANGMUIR, M.D.
ACTING CHIEF, STATISTICS SECTION — IDA L. SHERMAN, M.S.

IN ADDITION TO THE ESTABLISHED PROCEDURES FOR REPORTING MORBIDITY AND MORTALITY, THE NATIONAL COMMUNICABLE DISEASE CENTER WELCOMES ACCOUNTS OF INTERESTING OUTBREAKS OR CASE INVESTIGATIONS WHICH ARE OF CURRENT INTEREST TO HEALTH OFFICIALS AND WHICH ARE DIRECTLY RELATED TO THE CONTROL OF COMMUNICABLE DISEASES. SUCH COMMUNICATIONS SHOULD BE ADDRESSED TO:

THE EDITOR
MORBIDITY AND MORTALITY WEEKLY REPORT
NATIONAL COMMUNICABLE DISEASE CENTER
ATLANTA, GEORGIA 30333

NOTE: THE DATA IN THIS REPORT ARE PROVISIONAL AND ARE BASED ON WEEKLY TELEGRAMS TO THE NCDC BY THE INDIVIDUAL STATE HEALTH DEPARTMENTS. THE REPORTING WEEK CONCLUDES ON SATURDAY; COMPILED DATA ON A NATIONAL BASIS ARE RELEASED ON THE SUCCEEDING FRIDAY.

U.S. DEPARTMENT OF
HEALTH, EDUCATION, AND WELFARE
PUBLIC HEALTH SERVICE
BUREAU OF DISEASE PREVENTION AND ENVIRONMENTAL CONTROL
NATIONAL
COMMUNICABLE DISEASE CENTER
ATLANTA, GEORGIA 30333
OFFICIAL BUSINESS

UNIV. OF FL LIB.
DOCUMENTS DEPT.
U.S. DEPOSITORY

POSTAGE AND FEES PAID
U. S. DEPARTMENT OF H. E. W.